

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	waveguide with reflect\$3 near3 coat\$3 with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 15:32
L2	43	(waveguide fiber conduit) with reflect\$3 near3 coat\$3 with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 15:36
L3	106	(waveguide fiber conduit) with reflect\$3 near3 coat\$3 same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 15:36
L4	63	3 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 15:36
S1	62	conduit with light with reflect\$5 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:03
S10	557	conduit with coupl\$3 with (led laser (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:20
S11	7	S1 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:47
S12	126	conduit with coupl\$3 with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:48
S13	2	S1 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:48

EAST Search History

S14	2	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:48
S15	988	(conduit guide) with light with reflect\$5 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:21
S16	4155	(conduit guide) with coupl\$3 with (led laser (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:20
S17	6	S15 with S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:20
S19	13	(conduit guide) with light with reflect\$5 with (direct\$2 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:24
S21	861	(conduit guide) with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:25
S22	101	S21 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:28
S24	83	S22 and (led laser (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:28
S25	19	S24 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:30
S27	8	S25 and (reflect\$3 with (tin nickel copper zinc aluminum silver gold chromium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:35

EAST Search History

S28	6	S27 and index with refraction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:49
S29	2	S28 and (transparent with (guide conduit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:38
S30	19003	(transparent with (guide conduit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:38
S31	3860	transparent with conduit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:38
S34	26	conduit with reflect\$3 with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:41
S35	83	(conduit guide) with reflect\$3 with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:42
S36	2	S35 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:43
S37	502	silver with spray\$3 with paint\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:10
S39	51	light same guide same conduit same reflect\$3 same coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:44
S41	16	light same guide same conduit same (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:44

EAST Search History

S42	11	light same conduit same (reflect\$3 near3 coat\$3) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:46
S43	2	light same (conduit with (reflect\$3 near3 coat\$3)) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:46
S44	7	(conduit with (reflect\$3 near3 coat\$3)) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:46
S45	1701	385/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:49
S46	0	385/129.ccls. and conduit with reflect\$3 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:50
S47	9	385/129.ccls. and guide with reflect\$3 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:50
S48	70	385/129.ccls. and (fiber guide wave\$1guide) with reflect\$3 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:00
S49	401	waveguide with (reflective adj coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:00
S50	17	S49 and 385/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:03
S52	15	S50 and (laser led (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:03

EAST Search History

S54	2	S50 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:04
S55	16	(fiber wave\$1guide guide) with (reflect\$3 near2 coat\$3) with boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:26
S56	69	waveguide with ((constant uniform) adj index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:27
S60	344	waveguide with (reflective adj coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:29
S61	5	S56 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:45
S62	4305	waveguide and display and (light adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:46
S63	3	S62 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:48
S66	18	(waveguide fiber) same (reflect\$3 near3 coat\$3) same ((constant uniform) near3 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:53
S67	3277	(waveguide fiber) with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:16
S68	41	S67 and 385/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:54

EAST Search History

S69	3277	(waveguide fiber) with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:43
S70	65	S69 and ((waveguide fiber) with (index near3 (constant uniform)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:00
S71	61	S70 and ((waveguide fiber) with ((light near source) led laser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:13
S72	21	S71 and ((waveguide fiber) with (lcd display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:04
S73	15	S72 and ((reflect\$3 near3 coat\$3) with (tin nickel copper zinc aluminum silver gold chromium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:10
S74	15	S73 and ((waveguide fiber) with transparent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:10
S76	19	S70 and ((reflect\$3 near3 coat\$3) with (tin nickel copper zinc aluminum silver gold chromium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:11
S77	17	S76 and ((waveguide fiber) with transparent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:10
S78	16	S72 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:39
S79	1163	S69 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:14

EAST Search History

S80	16	(waveguide fiber) with (reflect\$3 near3 coat\$3) with boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:18
S81	200	(waveguide fiber) with (reflect\$3 near3 coat\$3) with direct\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:25
S82	62	S81 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S83	78	(waveguide fiber) with (reflect\$3 near3 coat\$3) with directly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:25
S84	37	S83 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:25
S88	1809	(waveguide fiber) with (reflect\$3 near3 coat\$3) not (anti antireflect\$3 ar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:45
S89	530	S88 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:44
S90	18	S88 and ((waveguide fiber) near5 (index near3 (constant uniform)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:46
S91	10	S90 not non\$1uniform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:46
S92	7	S91 not non\$reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:50

EAST Search History

S93	475	(waveguide fiber) near3 (reflective adj coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:56
S94	186	S93 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:04
S95	6	S94 and (constant uniform) near3 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:27
S96	1	S95 and (tin gold silver chromium aluminum zinc copper nickel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:10
S97	96	S94 and (tin gold silver chromium aluminum zinc copper nickel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:10
S98	14407	(waveguide fiber) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:17
S99	43	S93 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:18
S100	9	S93 and (constant uniform) near3 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:27
S102	344	waveguide with (reflective adj coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S103	5	S102 with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43

EAST Search History

S10 4	1933	waveguide with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S10 5	378	S104 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:45
S10 6	7	S104 with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:50
S10 7	1	waveguide with reflect\$3 with coat\$3 with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:51
S10 8	24	waveguide same reflect\$3 same coat\$3 same spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 17:47
S10 9	6	"5919712".pn. "20040004767" "20040008952"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:16
S11 0	1974	waveguide near3 transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:16
S11 2	1359	(waveguide near3 transparent) not electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:16
S11 3	495	S112 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:17
S11 4	62	S112 and "385"/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:17

EAST Search History

S11 5	0	(waveguide conduit fiber) same non-luminescent same display same reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:51
S11 6	0	(waveguide conduit fiber) same non-luminescent same display\$3 same reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:51
S11 7	0	(waveguide conduit fiber) same non-luminescent\$3 same display\$3 same reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:51
S11 8	0	(waveguide conduit fiber) same non-luminescent\$3 same display\$3 same reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:51
S11 9	1	(waveguide conduit fiber) same luminescent\$3 same display\$3 same reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:52
S12 0	1	(waveguide conduit fiber) and luminescent\$3 same display\$3 same reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:52
S12 1	0	(waveguide conduit fiber) near5 reflect\$3 and "not" near3 luminescent\$3 and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:53
S12 2	0	(waveguide conduit fiber) near5 reflect\$3 and non-luminescent\$3 and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:53
S12 3	1316	non-luminescent\$3 non adj luminescent\$3 "not" adj luminescent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:57
S12 4	739	S123 and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:54

EAST Search History

S12 5	90	S124 and (waveguide conduit fiber) near5 (light optic\$4 photonic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:55
S12 6	19	S124 and ((waveguide conduit fiber) near5 (light optic\$4 photonic)) same (reflect\$3 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:55
S12 7	4	S123 near5 (waveguide fiber conduit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:56
S12 8	1	S127 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:56
S12 9	1	S127 and display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:56
S13 0	12	((waveguide fiber conduit) near5 (optic\$4 photonic\$4 light)) same (non\$1luminesen\$3 non adj luminescen\$3 "not" adj luminescen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:58
S13 1	3	S130 same display\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 18:58
S13 2	0	S131 and ((waveguide conduit fiber) near5 (optic\$4 photon\$4 light)) with (reflect\$3 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 19:00
S13 3	3	S130 and ((waveguide conduit fiber) near5 (optic\$4 photon\$4 light)) with (reflect\$3 mirror)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/21 19:00
S13 4	19273	(waveguide fiber conduit) near5 (optic\$4 photonic\$4 light) same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:04

EAST Search History

S13 5	1891	((waveguide fiber conduit) near5 (optic\$4 photonic\$4 light)) near7 (reflect\$3 near5 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:07
S13 6	218	S134 and S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:10
S13 7	78	S134 same S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:05
S13 9	2	(waveguide fiber conduit) near5 (reflect\$3 near5 coat\$3) near5 (without near5 boundary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:08
S14 0	12	(waveguide fiber conduit) near5 (reflect\$3 near5 coat\$3) near5 boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:09
S14 1	2	S136 and ("not" near5 boundary no near5 boundary without near5 boundary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:11
S14 2	1	S136 and absen\$2 near5 boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:13
S14 3	199	(waveguide fiber conduit) near5 display near5 reflect\$3 not boundary not (luminescen\$3 phosphorescen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:15
S14 4	21	S143 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:19
S14 5	5	waveguide near5 reflect\$3 near5 without near3 boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:42

EAST Search History

S14 6	18	waveguide near5 reflect\$3 near3 coat\$3 same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 14:18
S14 7	0	waveguide near5 direct near3 reflect\$3 near3 coat\$3 same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 14:19
S14 8	0	waveguide near5 direct near5 reflect\$3 near3 coat\$3 same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 14:19
S14 9	1	waveguide near5 directly near5 reflect\$3 near3 coat\$3 same display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 15:31